

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 0 700 989 B1**

(12)

## EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention  
of the grant of the patent:  
11.07.2001 Bulletin 2001/28

(51) Int Cl.7: **C11D 17/04**

(21) Application number: **94870148.7**

(22) Date of filing: **12.09.1994**

(54) **A unit packaged detergent**

Portionsverpacktes Waschmittel

Détergent emballé par dose

(84) Designated Contracting States:  
**AT BE CH DE DK ES FR GB GR IE IT LI LU NL PT  
SE**

(43) Date of publication of application:  
**13.03.1996 Bulletin 1996/11**

(73) Proprietor: **THE PROCTER & GAMBLE COMPANY**  
**Cincinnati, Ohio 45202 (US)**

(72) Inventors:

- **Tack, Joris Josef Gustaaf**  
**B-3140 Keerbergen (BE)**
- **Varlet, Jean-Luc André Patrick**  
**B-1180 Uccle (BE)**
- **Van de Pol, Bruno**  
**B-2800 Mechelen (BE)**

(74) Representative: **Bosotti, Luciano et al**  
**Buzzi, Notaro & Antonielli d'Oulx**  
**Corso Flume 6**  
**10133 Torino (IT)**

(56) References cited:  
**EP-A- 0 236 136 EP-A- 0 284 334**  
**EP-A- 0 388 105 WO-A-92/06173**  
**WO-A-92/20775 WO-A-94/04656**  
**DE-U- 9 214 065**

Remarks:

The file contains technical information submitted  
after the application was filed and not included in this  
specification

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 0 700 989 B1**

## Description

### Field of the Invention

[0001] The present invention relates to packaged detergent and/or additive composition for the dish washing machine.

### Background of the Invention

[0002] The traditional form of detergent and/or additive compositions for use in dish washing is granules or non particulate solids such as bars or tablets or briquettes. In the following, the term tablet will refer to any form of non particulate solids. For automatic dish washing machines, said detergent and/or additive tablets or granules are respectively placed or poured in the dispenser located in said dish washing machine or in an adequate dispensing device which is then placed in said washing machine.

[0003] In order to simplify the dosing of detergents for a washing cycle in a machine and to avoid wasting through spillage during the dosing action, EP-B-0 388 105 describes a unit packaged detergent. Said unit packaged detergent is a detergent packaged in a water soluble polymer film or sheet in such a form that it is suitable for one wash. This unit packaged detergent is placed in the machine without unwrapping the contained detergent from the packaging. This is possible, since said packaging is made of a water dissolvable polymer film. To avoid the unwrapping of the detergent from the packaging has several advantages. First, said unit packaged detergent prevents wasting through spillage of the detergent and/or additive composition. Second, said unit packaged detergent eliminates the need for the user to estimate the dosage of said composition required and ensures that the correct dosage of said composition per wash cycle is used by the user. Third, the fingers of a user do not come in contact with the wrapped detergent composition.

[0004] The problem of EP-B-0 388 105 is to provide a polymer film with increased solubility to avoid remnants of gel or jelly of insoluble polymer film which may adhere to the washed clothes. This problem is solved by developing a polymer having a dissolution time in water of less than 20 sec at 20°C. But this development cannot be readily applied in an automatic dish washing machine.

[0005] Indeed, we found that there is a sub-optimum washing performance obtained with a detergent packaged as in EP-B-0 388 105, as compared to the same amount of the detergent, but introduced through the dispenser of the dish washing machine. We have identified the cause for this sub-optimum performance, which is a loss of detergent in the initial rinse cycle prior to the main wash cycle in a dish washing machine. The initial rinse cycle is a prewash with cold water of the tap (10°C to 20°C) without detergent and lasting for about 10 min to

15 min. Consequently, we have determined that the packaging as described in EP-B-0 388 105 dissolves completely releasing the contained detergent in the water of the initial rinse cycle, i.e. part of the detergent dissolves during the initial rinse cycle. The sub-optimum washing performance is a consequence of the dissolution of part of the detergent during the initial rinse cycle, since it is lost for the main wash.

[0006] Therefore, we have found that to avoid a precocious dissolution of the detergent, the unit packaged detergent described in the prior art has to be protected from the water of the initial rinse cycle. A possible solution would be to place the unit packaged detergent of the prior art inside the dispenser of the dish washing machine which opens only with the start of the main wash cycle. But this may cause logistic problems. Indeed, the dimension and the shape of the unit packaged detergent is then limited by the dimension and the shape of the dispenser of the dish washing machine. This limitation could be especially a problem when the unit packaged detergent contains detergent in solid form, like tablets, which may not have the dimension and the shape of the dispenser. As a consequence, it is possible that such a unit packaged detergent containing a tablet cannot be used in that particular washing machine without avoiding a decreased washing performance.

[0007] It is therefore an object of the present invention to provide a unit packaged detergent which shows no decrease of washing performance when the washing machine has a initial rinse and a main wash cycle without the need to place said unit packaged detergent into the dispenser of the washing machine.

[0008] Somewhat similar objects appear having been pursued in other documents such as DE-U-9 214 065, EP-A-0 284 334 or WO-A-9 206 173.

[0009] Another object of the present invention is the method of manufacture of the unit packaged detergent according to the present invention.

### Summary of the Invention

[0010] The present invention, having the features set forth in claim 1, provides a unit packaged detergent for automatic dish washing. Said unit packaged detergent comprises a detergent composition wrapped in a film made of a water dissolvable material. Said water dissolvable material protects the wrapped detergent from dissolution until the start of the main wash in a dish washing machine, and the packaging wrapping said detergent may be stuck on any piece of a dish washing machine as convenient for the load to be washed and cleaned.

### Detailed Description of the Invention

[0011] In the following any detergent and/or additive compositions will be encompassed by the term "detergent". This detergent composition may be in the form of

granules or of any non particulate solids such as bars or tablets or briquettes. The word "tablet" encompasses in the following any form of non particulate solids. Said tablet may have any shape. Preferably, said solid non particulate detergent tablet is symmetrical to ensure the uniform dissolution of the tablet in the wash liquor. According to the present invention the detergent and/or additive composition may comprise any ingredients known in the art for dish washing. Such ingredients may include surfactants, suds suppressers, bleaches, chelants, builders, enzymes, fillers and perfumes.

**[0012]** According to the present invention, a predosed quantity of detergent is wrapped in a packaging to form a unit packaged detergent. The wording "unit packaged detergent" means a packaged amount of detergent suitable for one wash. Nevertheless, two or more unit packaged detergents according to the present invention may be used in a single wash to meet different washing conditions, like dirtiness of washing, amount of washing, volume of washing machine, hardness of water, temperature of water and type of detergent. Said packaging is made of a water dissolvable material. The unit packaged detergent according to the present invention may contain between 3g and 100g of detergent, more preferably between 10g and 50g, most preferably between 25g and 35 g of detergent.

**[0013]** As an essential feature of the present invention, the packaging of the unit packaged detergent is made of a material which dissolves in water, but which protects the wrapped detergent from dissolution until the start of the main wash in a dish washing machine. Indeed, most of the automatic dish washing machines, may perform a initial rinse cycle before the main cycle. The initial rinse cycle is a prewash with cold water of the tap (about 20°C or less) without detergent and lasting for about 10 to 15 min. The material of the packaging of said unit packaged detergent should not dissolve completely in the initial rinse cycle. A packaging that completely dissolves means that the content of said packaging is not protected anymore from dissolution. For example, a detergent contained in said packaging would be available for dissolution during the initial rinse cycle. The part of the detergent dissolved during the initial rinse cycle is wasted, since this dissolved part is lost for the main wash.

**[0014]** On the other hand, once the main cycle starts the detergent should be available for dissolution as soon as possible, also in case that there was no pre-dissolution of the packaging during the initial rinse cycle. This is especially important for washing machines which only comprise the main wash. The main wash is the washing with detergent in the washing machines performed at temperatures greater than 20°C, more preferably at 30°C or more.

**[0015]** According to the present invention the above problem is solved by choosing a water dissolvable material having a dissolution time which strongly depends from the water temperature. Specifically, the dissolution

time of said material has to be such that it is not completely dissolved within 10 min to 15 min at a water temperature of 20°C or less, i.e. said material does not dissolve during the initial rinse cycle. Whereas at temperatures above 20°C, preferably at temperatures starting from 30 °C, the same material dissolves completely in 2 min or less, preferably within 1 min. In this manner, the detergent wrapped within this material is protected from dissolution in the initial rinse cycle, but is readily available for dissolution in the main wash. Therefore, a unit packaged detergent, comprising an amount of detergent wrapped in a water dissolvable material as described before, does not need to be placed in the dispenser of the washing machine. On the contrary, said unit packaged detergent can be placed anywhere in the washing machine together with the dishes.

**[0016]** This unit packaged detergent of the present invention is placed in the machine without unwrapping the contained detergent from the packaging. This is possible, since said packaging is made of a water dissolvable material, as described above. To avoid the unwrapping the detergent from the packaging has several advantages. First, said unit packaged detergent prevents wasting through spillage of the detergent and/or additive composition. Spillage may occur during the measuring and/or dispensing into the dispenser of the washing machine or into a dispensing device. Second, said unit packaged detergent eliminates the need for the user to estimate the dosage of said composition required and ensures that the correct dosage of said composition per wash cycle is used by the user. Therefore, separate measuring and/or dosing devices are superfluous. Third, the fingers of a user do not come in contact with the wrapped detergent composition, which means that the user avoids to soil its fingers and/or hands. Fourth, said unit packaged detergent can be placed in a washing machine at any place together with the dish.

**[0017]** Preferably, water dissolvable polymers are used as water dissolvable materials for said unit packaged detergent. Preferably, polyvinyl alcohol (=PVOH) may be used as water dissolvable packaging material of said detergent tablet. PVOH is a hygroscopic material, i.e. this material dissolves in water. The rate of dissolution in water depends from the thickness of said water dissolvable material used, the molecular weight of said material and the temperature of the water. A fast rate is achieved by decreasing the thickness and/or the molecular weight of said water dissolvable material and/or increasing the temperature of the water. Preferably, the present invention uses water dissolvable polymeric materials of thicknesses between 10 µm and 30µm, more preferably between 20µm and 30µm at a molecular weight between 50,000 and 200,000, more preferably between 80,000 and 150,000. For example, taking a unit packaged detergent made of a 30µm thick PVOH film with a molecular weight of 100,000 and which contains 30g of detergent does not dissolve completely after 15 min at 20°C water temperature, and within 2 min at

30°C water temperature. This means that the wrapped detergent is protected from a precocious dissolution during the initial rinse cycle, whereas said wrapped detergent is made readily available for dissolution in the main washing cycle.

[0018] As preferred options, said unit packaged detergent may be a bag which contains substantially in a loose manner the detergent or an additional layer on the outer surface of a detergent tablet. Preferably, said unit packaged detergents are delivered in a container made of any material, like carton, plastic or metal. As a preferred option, said unit packaged detergents may be packed and sold in a string, each unit packaged detergent being individually separable by a perforation line. Therefore, each unit packaged detergent can be individually torn off from said string and placed without unwrapping the contained detergent in the washing machine. As other options, said packaging material of the unit packaged detergent may be translucent, opaque or having a printed side.

[0019] As another preferred option, said unit packaged detergent may comprise also an additive which provides an unbearable bitter taste. This additive may be coated onto said unit packaged detergent. This improves the prevention that children may accidentally ingest the complete packaging detergent. Such an additive is for example a trademark called BITREX™.

[0020] The unit packaged detergent is provided with a glue coating being-on at least one outer side of said packaging. In this manner, said packaging wrapping said detergent tablet may be stuck on any place of a dish washing machine, as convenient for the load to be washed and cleaned. For example the side walls, the front or top door are possible places where said unit packaged detergent may be stuck in said washing machine. Preferably, said glue is water dissolvable or dissolves upon the effect of temperature. Preferably, said glue coating has the same or less water solubility than the packaging. In this manner, the unit packaging detergent is prevented to fall before the start of the main wash cycle. Then said unit packaged detergent falls into the wash liquor to allow the complete dissolution of said unit packaged detergent, i.e. rest of packaging and contained detergent. The glue coating may be protected with a protective sheet of paper or else which can be easily removed. The protective sheet prevents sticking of, for example, dust particles on the glue coating which could diminish the sticking properties of said glue coating. The glue coating may be provided for example by a layer of polyurethane on the outer surface of said unit packaged detergent.

[0021] The unit packaged detergent according to the present invention may be manufactured in the following way:

- the detergent composition is prepared in its granular or particulate form;

- if appropriate, the granular or particulate detergent composition may be formed into a tablet of the desired shape and size by any of the method selected from the group of: compression, extrusion and casting, whereas said detergent composition is homogeneously distributed throughout the tablet or comprises different layers of certain detergent ingredients;

- a water dissolvable material is prepared in form of a film;

- said water dissolvable film is also provided with a coating of a water dissolvable glue, this coating on the side of said water dissolvable film being on the outer side of the unit packaged detergent;

- then said detergent in granular or tablet form is wrapped into said water dissolvable film to form the unit packaged detergent;

- the water dissolvable film is sealed around said detergent so that said film forms a layer directly attached to the outer surface of said tablet, or so that said film forms a bag containing said detergent;

- if necessary, a perforation line is added between each unit packaged detergent in a string of unit packaged detergents, otherwise each unit packaged detergent is cut from each other.

[0022] The unit packaged detergent according to the present invention may be used in the following manner:

- a unit packaged detergent necessary for a dish wash cycle in an automatic washing machine is taken from a container, if needed by tearing off a unit packaged detergent along the perforation line in a string of several unit packaged detergents;

- said unit packaged detergent is placed into a dish washing machine together with the dish without unwrapping said detergent.

- said unit packaged detergent is stuck at any convenient place in the machine.

#### Claims

1. A unit packaged detergent for dish washing, said unit packaged detergent comprising a detergent composition wrapped in a film made of a water dissolvable material wherein said water dissolvable material protects the wrapped detergent from dissolution until the start of the main wash of a dish washing machine, and at least one outer side of said water dissolvable unit packaged detergent is

sticky.

2. A unit packaged detergent according to claim 1 characterized in that said sticky part of said unit packaged detergent is made of a water dissolvable glue.

3. A unit packaged detergent according to claim 2, characterized in that said glue is a coating having the same or less water solubility than the packaging.

4. A unit packaged detergent according to any of the preceding claims characterized in that an additive is added to said water dissolvable material to give a bitter taste to said material.

5. A unit packaged detergent according to claim 4 characterized in that said additive is BITREX™.

6. A unit packaged detergent according to claim 1 characterized in that said water dissolvable material has a thickness of between 10 µm and 30 µm and a molecular weight between 50,000 and 200,000.

7. A unit packaged detergent according to any of the preceding claims characterized in that said water dissolvable material does not dissolve completely within 15 min at a water temperature of 20° C or less, but does dissolve completely in 2 min or less at a water temperature of 30°C or more.

8. A unit packaged detergent according to any of the preceding claims characterized in that said water dissolvable material is polyvinyl alcohol.

9. A method to manufacture the unit packaged detergent according to the preceding claims comprising the steps of:

- preparing the detergent composition in its granular or particulate form;
- if appropriate, forming the granular or particulate detergent composition into a tablet of the desired shape and size by any of the method selected from the group of: compression, extrusion and casting, whereas said detergent composition is homogeneously distributed throughout the tablet or comprises different layers of certain detergent ingredients;
- preparing a water dissolvable material in form of a film;
- providing said water dissolvable film with a coating of a water dissolvable glue, this coating on the side of said water dissolvable film being

on the outer side of the unit packaged detergent;

- then wrapping said detergent in granular or tablet form into said water dissolvable film to form the unit packaged detergent;

- sealing the water dissolvable film around said detergent so that said film forms a layer directly attached to the outer surface of said tablet or so that said film forms a bag containing said detergent;

- if necessary, adding a perforation line between each unit packaged detergent in a string of unit packaged detergents, otherwise cutting each unit packaged detergent from each other.

10. The method of using a unit packaged detergent according to the preceding claims comprising the steps of:

- taking a unit packaged detergent necessary for a dish wash cycle in an automatic washing machine from a container, if needed by tearing off a unit packaged detergent along the perforation line in a string of unit packaged detergents;
- placing said unit packaged detergent into a dish washing machine together with the dish without unwrapping said detergent, wherein said unit packaged detergent is stuck at any convenient place in the machine.

#### Patentansprüche

1. Als Einheit verpacktes Reinigungsmittel zum Geschirrspülen, wobei das als Einheit verpackte Reinigungsmittel eine Reinigungsmittelzusammensetzung umfaßt, die in einer Folie aus einem wasserlöslichen Material eingehüllt ist, wobei das wasserlösliche Material das eingehüllte Reinigungsmittel bis zum Beginn des Hauptwaschgangs einer Geschirrspülmaschine vor Auflösung schützt, und mindestens eine Außenseite des wasserlöslichen, als Einheit verpackten Reinigungsmittels klebrig ist.

2. Als Einheit verpacktes Reinigungsmittel nach Anspruch 1, dadurch gekennzeichnet, dass der klebrige Teil des als Einheit verpackten Reinigungsmittels aus einem wasserlöslichen Klebstoff hergestellt ist.

3. Als Einheit verpacktes Reinigungsmittel nach Anspruch 2, dadurch gekennzeichnet, dass der Klebstoff eine Beschichtung mit der gleichen oder einer geringeren Wasserlöslichkeit als der Verpackung

ist.

4. Als Einheit verpacktes Reinigungsmittel nach mindestens einem der vorangehenden Ansprüche, dadurch gekennzeichnet, dass das wasserlösliche Material mit einem Additiv versetzt ist, um dem Material einen bitteren Geschmack zu verleihen. 5
5. Als Einheit verpacktes Reinigungsmittel nach Anspruch 4, dadurch gekennzeichnet, dass das Additiv BITREX™ ist. 10
6. Als Einheit verpacktes Reinigungsmittel nach Anspruch 1, dadurch gekennzeichnet, dass das wasserlösliche Material eine Dicke zwischen 10 µm und 30 µm und ein Molekulargewicht zwischen 50.000 und 200.000 aufweist. 15
7. Als Einheit verpacktes Reinigungsmittel nach mindestens einem der vorangehenden Ansprüche, dadurch gekennzeichnet, dass das wasserlösliche Material sich innerhalb 15 min bei einer Wassertemperatur von 20°C oder weniger nicht vollständig auflöst, sich jedoch vollständig in 2 min oder weniger bei einer Wassertemperatur von 30°C oder mehr auflöst. 20 25
8. Als Einheit verpacktes Reinigungsmittel nach mindestens einem der vorangehenden Ansprüche, dadurch gekennzeichnet, dass das wasserlösliche Material Polyvinylalkohol ist. 30
9. Verfahren zur Herstellung des als Einheit verpackten Reinigungsmittels nach mindestens einem der vorangehenden Ansprüche, umfassend die Schritte: 35
  - Herstellen der Reinigungsmittelzusammensetzung in granulärer oder teilchenförmiger Form;
  - falls zweckdienlich, Formen der granulären oder teilchenförmigen Reinigungsmittelzusammensetzung zu einer Tablette erwünschter Form und Größe durch irgendeines der Verfahren, gewählt aus der Gruppe: Kompression, Extrusion und Gießen, wobei die Reinigungsmittelzusammensetzung homogen über die gesamte Tablette verteilt ist oder verschiedene Schichten aus bestimmten Reinigungsmittelbestandteilen umfaßt;
  - Herstellen eines wasserlöslichen Materials in Form einer Folie;
  - Versetzen der wasserlöslichen Folie mit einer Beschichtung aus einem wasserlöslichen Klebstoff, wobei diese Beschichtung auf der Seite der wasserlöslichen Folie auf der Außenseite des als Einheit verpackten Reinigungsmittels vorliegt;
  - danach Einhüllen des Reinigungsmittels in gra-

nulärer oder Tablettenform in der wasserlöslichen Folie, um das als Einheit verpackte Reinigungsmittel zu bilden;

- Versiegeln der wasserlöslichen Folie um das Reinigungsmittel herum, so dass die Folie eine direkt an der Außenoberfläche der Tablette haftende Schicht bildet, oder so dass die Folie einen das Reinigungsmittel enthaltenden Beutel bildet;
  - falls erforderlich, Hinzufügen einer Perforationslinie zwischen jedem als Einheit verpackten Reinigungsmittel in einem Strang aus als Einheit verpackten Reinigungsmitteln, oder sonst Abtrennen jedes als Einheit verpackten Reinigungsmittels voneinander.
10. Verfahren der Verwendung eines als Einheit verpackten Reinigungsmittels gemäß mindestens einem der vorangehenden Ansprüche, umfassend die Schritte:
- Entnehmen eines als Einheit verpackten Reinigungsmittels, welches für einen Geschirrspülzyklus in einer automatischen Spülmaschine notwendig ist, aus einem Behälter, falls erforderlich durch Abreißen eines als Einheit verpackten Reinigungsmittels entlang der Perforationslinie in einem Strang aus als Einheit verpackten Reinigungsmitteln;
  - Anordnen des als Einheit verpackten Reinigungsmittels in einer Geschirrspülmaschine zusammen mit dem Geschirr, ohne das Reinigungsmittel auszuwickeln, wobei das als Einheit verpackte Reinigungsmittel an einem geeigneten Platz in der Maschine angeklebt wird.

#### Revendications

1. Détergent conditionné unitaire destiné à un lave-vaisselle, ledit détergent conditionné unitaire comportant une composition de détergent emballée dans un film constitué d'un matériau soluble dans l'eau, ledit matériau soluble dans l'eau protégeant le détergent emballé vis-à-vis d'une dissolution jusqu'au début du lavage principal d'un lave-vaisselle, et au moins un côté extérieur dudit détergent conditionné unitaire soluble dans l'eau est collant. 40 45
2. Détergent conditionné unitaire selon la revendication 1, caractérisé en ce que ladite partie collante dudit détergent conditionné unitaire est constituée d'une colle soluble dans l'eau. 50
3. Détergent conditionné unitaire selon la revendication 2, caractérisé en ce que ladite colle est un revêtement ayant la même solubilité dans l'eau que le conditionnement, ou une solubilité inférieure. 55



4. Détergent conditionné unitaire selon l'une quelconque des revendications précédentes, caractérisé en ce qu'un additif est ajouté audit matériau soluble dans l'eau pour donner un goût amer audit matériau.

5

5. Détergent conditionné unitaire selon la revendication 4, caractérisé en ce que ledit additif est du BITREX (nom commercial déposé).

6. Détergent conditionné unitaire selon la revendication 1, caractérisé en ce que ledit matériau soluble dans l'eau a une épaisseur comprise entre 10  $\mu$ m et 30  $\mu$ m, et un poids moléculaire compris entre 50 000 et 200 000.

10

7. Détergent conditionné unitaire selon l'une quelconque des revendications précédentes, caractérisé en ce que ledit matériau soluble dans l'eau ne se dissout pas complètement en 15 min dans une eau ayant une température de 20°C ou moins, mais se dissout complètement en 2 min ou moins dans une eau ayant une température de 30°C ou plus.

15

20

8. Détergent conditionné unitaire selon l'une quelconque des revendications précédentes, caractérisé en ce que ledit matériau soluble dans l'eau est de l'alcool polyvinylique.

25

9. Procédé de fabrication du détergent conditionné unitaire selon les revendications précédentes, comportant les étapes consistant à :

30

- préparer la composition de détergent sous sa forme granulaire ou particulaire,

35

- si approprié, former la composition de détergent granulaire ou particulaire en une tablette ayant la forme et la taille voulues, par l'intermédiaire d'un procédé quelconque sélectionné parmi le groupe constitué de : une compression, une extrusion et un moulage, tandis que ladite composition de détergent est répartie de manière homogène de part et d'autre de la tablette, ou comporte différentes couches de certains ingrédients de détergent,

40

45

- préparer un matériau soluble dans l'eau sous la forme d'un film,

- munir ledit film soluble dans l'eau d'un revêtement de colle soluble dans l'eau, ce revêtement situé sur le côté dudit film soluble dans l'eau étant sur le côté extérieur dudit détergent conditionné unitaire,

50

- emballer ensuite ledit détergent ayant une forme granulaire ou de tablette dans ledit film soluble dans l'eau afin de former le détergent conditionné unitaire,

55

- rendre étanche le film soluble dans l'eau autour dudit détergent, de sorte que ledit film forme

une couche fixée directement sur la surface extérieure de ladite tablette, ou de sorte que ledit film forme un sachet contenant ledit détergent, si nécessaire, ajouter une ligne de perforations entre chaque détergent conditionné unitaire d'une bande de détergents conditionnés unitaires, sinon séparer chaque détergent conditionné unitaire les uns des autres.

10. Procédé d'utilisation d'un détergent conditionné unitaire selon les revendications précédentes, comportant les étapes consistant à :

- prendre dans un conteneur un détergent conditionné unitaire nécessaire à un cycle de lavage de vaisselle d'un lave-vaisselle automatique, si nécessaire en déchirant un détergent conditionné unitaire le long de la ligne de perforations d'une bande de détergents conditionnés unitaires,

- placer ledit détergent conditionné unitaire dans un lave-vaisselle ensemble avec la vaisselle, sans déballer ledit détergent, ledit détergent conditionné unitaire étant collé sur un emplacement qui convient quelconque situé dans la machine.

